

Xerox® PrimeLink C9265/C9275/C9281

26-Mar-26

The TSL contains paper and specialty media that has been tested by Xerox Media Test Group.
All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

Tested Categories & Descriptions

- Runnability

 - Substrate runs through press without issues
 - Feeding and stacking
 - Front to back registration
 - Shutdowns/Jams
- Ink Adhesion

 - Toner adhesion side1/side2
- Image Quality

 - Transfer
 - Mottle
 - Deletions
 - Contamination

Paper Weights Bond (B), Text/Book (T), Cover (C), Pound (lb)

Geography	Manufacturer or Merchant	Media Brand Name	Weight	gsm	Paper Type	Finish	Percent Recycled	Size Tested	Runnability	Image Quality	Ink Adhesion	Notes	Settings	Testing Results
Americas	American Eagle Paper	Eagle Office 50	20 lb	75	Uncoated	Smooth		8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Stack integrity poor to side catch tray.		Conditional
EMEA	Antalis	Image Business		80	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.		Satisfactory
EMEA	Antalis	Image Business		100	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.		Satisfactory
Americas	Billerud	Blazer Digital	80 T	118	Coated	Satin	0	12 x 18	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Billerud	Blazer Digital	100 T	148	Coated	Satin	0	12 x 18	Conditional	Satisfactory	Satisfactory			Satisfactory
Americas	Billerud	Blazer Digital	100 T	148	Coated	Satin	0	13 x 19	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Billerud	Blazer Digital	80 C	216	Coated	Satin	0	18 x 12	Satisfactory	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy Mode for high area coverage.	Conditional



Americas	Billerud	Blazer Digital	100 C	271	Coated	Satin	0	19 x 13	Conditional	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy mode for high area coverage.	Conditional
Americas	Billerud	Blazer Digital	110 C	297	Coated	Satin	0	18 x 12	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.		Satisfactory
Americas	Billerud	Blazer Digital	80 T	118	Coated	Gloss	0	11 x 17	Conditional	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.		Conditional
Americas	Billerud	Blazer Digital	100 T	148	Coated	Gloss	0	12 x 18	Conditional	Satisfactory	Satisfactory			Conditional
Americas	Billerud	Blazer Digital	80 C	216	Coated	Gloss	0	18 x 12	Conditional	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy mode for high area coverage.	Conditional
Americas	Billerud	Blazer Digital	100 C	270	Coated	Gloss	0	18 x 12	Conditional	Satisfactory	Satisfactory			Conditional
Americas	Billerud	Sterling Digital	100 T	148	Coated	Silk	0	18 x 12	Conditional	Satisfactory	Satisfactory			Conditional
Americas	Billerud	Sterling Digital	100 T	148	Coated	Gloss	0	8.5 x 11	Satisfactory.	Satisfactory	Satisfactory			Satisfactory
Americas	Billerud	Sterling Digital	100 T	148	Coated	Gloss	0	13 x 19	Conditional	Satisfactory	Satisfactory			Conditional
Americas	Billerud	Sterling Digital	100 C	270	Coated	Gloss	0	18 x 12	Conditional	Satisfactory	Satisfactory			Conditional
Americas	Boise Paper	X-9 Multi-Use	20 B	75	Untreated Uncoated	Smooth	0	8.5 x 14	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Cenvio Print Master	Sub 24 White Wove Window	24 lb		Envelope	Wove		6 x 9	Satisfactory	Satisfactory	Satisfactory			Satisfactory
WW	Crown Van Gelder	Crown Letsgo High Performance	24 B	90	Untreated Uncoated	Smooth	0	11 x 17	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.		Satisfactory
Americas	CTI Paper USA	Glama Natura Digital	40 lb	129	Transparent	Transparent		12 x 18	Not Recommended	Not Recommended	Not Recommended	Jams in print engine. Sensors do not pick up sheet to pass through the system		Not Recommended
Americas	Domtar	Color Copy Digital	60 T	89	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory



Americas	Domtar	Color Copy Digital	100 C	270	Untreated Uncoated	Smooth	0	18 x 12	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
Americas	Domtar	Cougar Smooth	110 C	297	Untreated Uncoated	Smooth	0	11 x 17	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.	Satisfactory	
Americas	Domtar	Cougar Super Smooth	60 T	89	Untreated Uncoated	Smooth		8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.	Satisfactory	
Americas	Domtar	Cougar Super Smooth	100 C	270	Untreated Uncoated	Smooth	0	18 x 12	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
Americas	Domtar	Earth Choice	20 lb	75	Uncoated	Smooth		8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Stack integrity poor to side catch tray.	Conditional	
Americas	Domtar	Lynx Digital	20 T	75	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory	
Americas	Domtar	Lynx Digital	24 B	90	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory	
Americas	Domtar	Lynx Digital	65 C	176	Untreated Uncoated	Smooth	0	12 x 18	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
Americas	Domtar	Lynx Digital	80 C	216	Untreated Uncoated	Smooth	0	12 x 18	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
Americas	Domtar	Lynx Opaque	40 lb	59	Uncoated	Smooth		8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Cut from foil sheet. Stack integrity poor to side catch tray.	Conditional	
EMEA	Fedrigoni	Symbol Freelif		115	Coated	Satin	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
EMEA	Fedrigoni	Symbol Freelif		350	Coated	Satin	0	SRA3	Satisfactory	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy mode for high area coverage.	Conditional
EMEA	Fedrigoni	Symbol Freelif		115	Coated	Gloss	0	A3	Conditional	Satisfactory	Satisfactory		Conditional	
EMEA	Iggesund	Invercote Creato	14 mil/pt	300	Coated	Matte	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory	
EMEA	Iggesund	Invercote G		280	Coated	Gloss	0	SRA3	Conditional	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy mode for high area coverage.	Conditional

Americas	Kernow	Dry Toner Floor Graphic	6 mil	220	Label	Matte		12 x 18	Not Recommended	Not Recommended	Not Recommended	Toner not adhering and some offset on sheet	Not Recommended
Americas	Kernow P6254	Print Prolite White Vinyl Removable Adhesive	4 mil	128	Synthetic	Smooth		8.5 x 11	Conditional	Conditional	Satisfactory	Heavy Static noted in output Mottle maybe seen in high area coverage and solids. Recommended for low to medium area coverage only. Use embossed for best transfer	Conditional
Americas	Kernow	ProPremium Dry Toner	8 mil	230	Synthetic	Smooth		8.5 x 11	Conditional.	Satisfactory	Satisfactory	Prone to multi sheet feeds. Fan media before loading in tray	Satisfactory
EMEA	Lecta	Creator Digital		350	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Lindenmeyr Munroe	Announcement Envelope	24 B	90	Envelope	Smooth	0	A7	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Lindenmeyr Munroe	Booklet Envelope	24 B	90	Envelope	Smooth	0	10 x 13	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Lindenmeyr Munroe	Booklet Envelope	28 lb	104	Envelope	Smooth		10 x 13	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Lindenmeyr Munroe	Booklet Envelope	28 lb		Envelope	Smooth		6 x 9	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Lindenmeyr Munroe	Booklet Envelope	28 lb		Envelope	Smooth		9 x 12	Not Recommended	Not Recommended	Not Recommended	Severe wrinkling in output	Not Recommended
Americas	Lindenmeyr Munroe	Commercial Envelope #9	24 lb		Envelope	Smooth		3.875 x 8.875	Conditional	Satisfactory	Satisfactory	Severe wrinkling when fed from MSI. Slight wrinkling seen when fed from OHCF	Conditional
Americas	Lindenmeyr Munroe	Commercial Envelope #10	24 lb	89	Envelope	Smooth		4.125 x 9.5	Not Recommended	Not Recommended	Not Recommended	Windows melt in fuser	Not Recommended
Americas	Lindenmeyr Munroe	Explorer		118	Coated	Silk	0	12 x 18	Conditional	Satisfactory	Satisfactory		Conditional
Americas	Lindenmeyr Munroe	Explorer	80 T	118	Coated	Gloss	0	12 x 18	Conditional	Satisfactory	Satisfactory		Conditional
Americas	Lindenmeyr Munroe	Matte White Digital Vinyl LL43841	3.4 mil		Label	Matte		12 x 18	Satisfactory	Satisfactory	Satisfactory	May see mottle in high area coverage	Satisfactory
Americas	Lindenmeyr Munroe	Nantucket Digital	100 C	297	Coated	Gloss	0	19 x 13	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	MGX	Xquisite DT Synthetic HCM#1709	12 mil	351	Synthetic	Smooth		12 x 18	Satisfactory	Conditional	Satisfactory	Transfer issues. Banding and streaks in high area coverage	Conditional



Americas	Mohawk	Superfine Smooth Ultrawhite Envelop	70 lb		Envelope	Smooth		A7	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Mohawk	Superfine Smooth Ultrawhite Booklet	70 lb		Envelope	Smooth		9 x 12	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Mondi	Color Copy		100	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Mondi	Color Copy		90	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Mondi	Color Copy		350	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory
EMEA	Mondi	Color Copy		350	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
EMEA	The Navigator Company	Navigator Colour Documents UHD		120	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.	Satisfactory
EMEA	The Navigator Company	Navigator Presentation UHD		100	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
Americas	Neenah	PS Digital Bright White Estate Label 8	60 lb		Label	Matte		12 x 18	Satisfactory	Satisfactory	Satisfactory	May see mottle in high area coverage	Satisfactory
Americas	Neenah	Classic Crest	70 lb		Envelope	Smooth		A6	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Neenah	Classic Crest	70 lb		Envelope	Smooth		A10	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Neenah	Classic Linen 4	70 lb		Envelope	Linen		A2	Not Recommended	Not Recommended	Not Recommended	Out of spec for this print engine.	Not Recommended
Americas	Neenah	Classic Crest Stipple	100 C	270	Coated	Stipple	0	18 x 12	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Neenah	Environment Desert Storm		266	Envelope	Smooth		6 x 9.5	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Nekoosa	Synaps XM Polyester	10 mil	300	Synthetic	Smooth		8.5 x 11	Conditional	Conditional	Satisfactory	Heavy Static noted in output Mottle maybe seen in high area coverage and solids. Use embossed for best transfer	Conditional

Americas	Nekoosa	PP Synthetic Digital Dry Toner	12 mil	375	Synthetic	Smooth		13 x 19	Conditional.	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids. Recommended for low to medium area coverage only. Use embossed for best transfer	Conditional
Americas	Nekoosa	Synaps White XM Digital	8 mil	230	Synthetic	Smooth		12 x 18	Conditional.	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids. Recommended for low to medium area coverage only. Use embossed for best transfer	Conditional
Americas	Nekoosa	Synaps White XM Digital	12 mil	375	Synthetic	Smooth		12 x 18	Satisfactory	Conditional	Satisfactory	Transfer issues. Banding and streaks in high area coverage Use embossed for best transfer	Conditional
Americas	NORPAC	Orca Copy	20 T	75	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
EMEA	Sylvamo	REY Text & Graphics		80	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Rolland	Enviro Print	20 T	75	Untreated Uncoated	Smooth	100	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
Americas	Sappi	Flo Digital	100 T	148	Coated	Dull	0	12 x 18	Conditional	Satisfactory	Satisfactory		Conditional
Americas	Sappi	Flo Digital	9 mil/pt	270	Coated	Gloss	0	12 x 18	Conditional	Satisfactory	Satisfactory		Conditional
Americas	Sappi	McCoy	80 T	118	Coated	Silk	0	13 x 19	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Sappi	McCoy	100 C	271	Coated	Silk	0	13 x 19	Conditional	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Conditional
EMEA	Soporset	Premium Opaque Smooth		80	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory
EMEA	Soporset	Premium Opaque Smooth		120	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
EMEA	Soporset	Premium Opaque Smooth		80	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory
EMEA	Soporset	Premium Opaque Smooth		120	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory	Slight mottle seen in high area coverage and solids.	Satisfactory
EMEA	Soporset	Premium Opaque Smooth		350	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory



Americas	Stora Enso	Ensocoat C1S	300	Coated	Gloss	0	SRA3	Conditional	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy Mode for high area coverage.	Conditional
Americas	Sustana	Enviro Copy	20 lb	75	Uncoated	Smooth	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Stack integrity poor to side catch tray.		Conditional
EMEA	Sylvamo	PRO-DESIGN	120	Untreated Uncoated	Smooth	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Sylvamo	PRO-DESIGN	350	Untreated Uncoated	Smooth	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Sylvamo	Williamsburg Opaque Offset	60 T	90	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
EMEA	UPM	Digi Finesse	170	Coated	Satin	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	350	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	115	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	170	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	115	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	130	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	170	Coated	Silk	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	250	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	UPM	Digi Finesse	350	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Veritiv	Endurance Digital	80 T	118	Coated	Silk	0	13 x 19	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Veritiv	Endurance Digital	80 T	118	Coated	Silk	0	12 x 18	Conditional	Satisfactory	Satisfactory		Conditional



Americas	WestRock	Tango Digital C2S	14 mil/pt	295	Coated	Gloss	0	12 x 18	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	WestRock	Tango Digital C1S	16 mil/pt	350	Coated	Gloss	0	18 x 12	Conditional	Conditional	Satisfactory	Severe mottle and transfer issues seen in high area coverage and solids. Recommended for low area coverage only.	For poor IQ, transfer and mottle issues. Utilize the Simple Image Quality Adjustment Tools. Run in Glossy Mode for high area coverage.	Conditional
Americas	Xerox	Bold Digital PN 3R11543	24 B	90	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11763	28 T	105	Untreated Uncoated	Smooth	0	18 x 12	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11764	32 B	118	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11767	60 C	162	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11771	80 C	216	Untreated Uncoated	Smooth	0	11 x 17	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11542R	24 B	90	Untreated Uncoated	Smooth	0	8.5 x 14	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11774	100 C	270	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11763	28 T	104	Untreated Uncoated	Smooth	0	18 x 12	Satisfactory	Satisfactory	Satisfactory			Satisfactory
Americas	Xerox	Bold Digital PN 3R11770	80 C	216	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+		100	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+		160	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+		250	Untreated Uncoated	Smooth	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+		160	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+		350	Untreated Uncoated	Smooth	0	A4	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.		Satisfactory
EMEA	Xerox	Colotech+Silk		170	Coated	Silk	0	SRA3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+Gloss		350	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory
EMEA	Xerox	Colotech+Gloss		115	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory			Satisfactory



EMEA	Xerox	Colotech+Gloss		170	Coated	Gloss	0	A3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Xerox	Colotech+Gloss		115	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Xerox	Colotech+Gloss		130	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Xerox	Colotech+Gloss		250	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
EMEA	Xerox	Colotech+Gloss		350	Coated	Gloss	0	SRA3	Satisfactory	Satisfactory	Satisfactory		Satisfactory
Americas	Xerox	Digital Paper	20 B	75	Untreated Uncoated	Smooth	0	8.5 x 11	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory
Americas	Xerox	Multi Purpose 3R03871	24 B	90	Untreated Uncoated	Smooth	0	11 x 17	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory
Americas	Xerox	Revolution NeverTear	10 mil	300	Synthetic	Smooth		12 x 18	Satisfactory	Conditional	Satisfactory	Mottle may be seen in high area coverage.	Conditional
Americas	Xerox	Vitality PN 003R03761	20 B	75	Untreated Uncoated	Smooth	0	8.5 x 14	Satisfactory	Satisfactory	Satisfactory	Mottle may be seen in high area coverage and solids.	Satisfactory
Americas	Xerox	Vitality PN 003R02051	20 B	75	Untreated Uncoated	Smooth	0	11 x 17	Satisfactory	Satisfactory	Satisfactory	Mottle maybe seen in high area coverage and solids.	Satisfactory